




Exterior Grade Decorative Panels

PREMIUM LOOK LIKE WOOD,  
DURABLE LIKE CONCRETE

WOODIUM PROFILES



BARIKIINTERNATIONAL

**OFFICE ADDRESS:**

3<sup>rd</sup> Floor, Nandishwar square, Nr Bright day school, Vasna Bhayali Road, Vadodara-Gujarat


FOR MORE DETAILS CONTACT: +91 999 800 4019 | Email: [connectbariki@gmail.com](mailto:connectbariki@gmail.com)






# – WORLD'S LARGEST PROFILE RANGE


EXTERIOR GRADE CONCRETE BASED DECORATIVE PANELS OF MORE THAN 25+ DESIGNS




BEAUTY AS  
REAL WOOD




FIRE  
RESISTANT



EASY  
INSTALLATION



TERMITE  
FREE



WEATHER  
RESISTANT




ENVIRONMENT  
FRIENDLY


- SAVES UPTO 40% COST\*\* & TIME
- NO PLY / BOARD REQUIRED
- DIRECT INSTALLATION ON FLAT SURFACE
- WATER BASED COLOUR APPLICATION
- ACCURATE FINISH COMPARE TO PLASTER
- WORKABILITY LIKE WOOD



LAP SLIDING G0



LAP SLIDING G1



LAP SLIDING G2



LAP SLIDING G5




DÉCOR PANEL RHYTHM

| ARTICLE | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|---------|-----------------|-------|--------|----------|----------|
|         | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| G 0     | 11              | 200   | 2400   | 7.56     | 5.16     |
|         |                 |       | 2900   | 9.12     | 6.25     |
|         |                 |       | 3050   | 9.60     | 6.56     |
| G 1     | 11              | 200   | 2400   | 6.96     | 5.16     |
|         |                 |       | 2900   | 8.39     | 6.25     |
|         |                 |       | 3050   | 8.84     | 6.56     |
| G 2     | 11              | 200   | 2400   | 6.36     | 5.16     |
|         |                 |       | 2900   | 7.67     | 6.25     |
|         |                 |       | 3050   | 8.08     | 6.56     |
| G 5     | 11              | 200   | 2400   | 5.88     | 5.16     |
|         |                 |       | 2900   | 7.09     | 6.25     |
|         |                 |       | 3050   | 7.47     | 6.56     |
| RHYTHM  | 16              | 200   | 2400   | 8.76     | 5.16     |
|         |                 |       | 2900   | 10.57    | 6.24     |



DÉCOR PANEL ALPHA 0



DÉCOR PANEL BETA 1



DÉCOR PANEL DELTA 6




DÉCOR PANEL GAMMA 3

| ARTICLE | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|---------|-----------------|-------|--------|----------|----------|
|         | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| ALPHA 0 | 11              | 245   | 2400   | 9.34     | 6.33     |
|         |                 |       | 2900   | 11.1     | 7.65     |
|         |                 |       | 3050   | 11.68    | 8.04     |
| BETA 1  | 11              | 245   | 2400   | 8.61     | 6.33     |
|         |                 |       | 2900   | 10.23    | 7.65     |
|         |                 |       | 3050   | 10.77    | 8.04     |
| GAMMA 3 | 11              | 245   | 2400   | 7.86     | 6.33     |
|         |                 |       | 2900   | 9.34     | 7.65     |
|         |                 |       | 3050   | 8.83     | 8.04     |
| DELTA 6 | 11              | 245   | 2400   | 7.26     | 6.33     |
|         |                 |       | 2900   | 8.63     | 7.65     |
|         |                 |       | 3050   | 9.08     | 8.04     |



DÉCOR PANEL BARCODE



DÉCOR PANEL PIE



DÉCOR PANEL SPLINE



DÉCOR PANEL FLUTE

| ARTICLE | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|---------|-----------------|-------|--------|----------|----------|
|         | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| BARCODE | 11              | 245   | 2400   | 7.26     | 6.33     |
|         |                 |       | 2900   | 9.17     | 7.65     |
|         |                 |       | 3050   | 9.65     | 8.04     |
| PIE     | 16              | 245   | 2400   | 10.80    | 6.33     |
|         |                 |       | 2900   | 12.89    | 7.65     |
|         |                 |       | 3050   | 13.57    | 8.04     |
| SPLINE  | 11              | 290   | 2400   | 8.88     | 7.49     |
|         |                 |       | 2900   | 10.72    | 9.05     |
|         |                 |       | 3050   | 11.28    | 9.52     |
| FLUTE   | 11              | 200   | 2400   | 5.88     | 5.16     |
|         |                 |       | 2900   | 7.1      | 6.24     |
|         |                 |       | 3050   | 7.47     | 6.56     |



NARROW LINE



WIDE LINE



WILLOW LOCK



KAPOK

| ARTICLE     | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|-------------|-----------------|-------|--------|----------|----------|
|             | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| NARROW LINE | 11              | 200   | 2400   | 6.04     | 5.16     |
|             |                 |       | 2900   | 7.18     | 6.24     |
|             |                 |       | 3050   | 7.56     | 6.56     |
| WIDE LINE   | 11              | 200   | 2400   | 5.74     | 5.16     |
|             |                 |       | 2900   | 6.82     | 6.24     |
|             |                 |       | 3050   | 7.18     | 6.56     |
| WILLOW LOCK | 16              | 150   | 1500   | 3.75     | 2.42     |
|             |                 |       | 2400   | 6.00     | 3.87     |
|             |                 |       | 3050   | 7.62     | 4.92     |
| KAPOK       | 16              | 150   | 2400   | 5.52     | 3.87     |
|             |                 |       | 2900   | 6.66     | 4.68     |
|             |                 |       | 3050   | 7.01     | 4.92     |



OCEAN



PYRAMID




NEPTUNE



ECP

| ARTICLE | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|---------|-----------------|-------|--------|----------|----------|
|         | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| OCEAN   | 16              | 150   | 2400   | 5.40     | 3.87     |
|         |                 |       | 2900   | 6.52     | 4.68     |
|         |                 |       | 3050   | 6.86     | 4.92     |
| PYRAMID | 22              | 163   | 2400   | 9.72     | 4.21     |
|         |                 |       | 2900   | 11.73    | 5.09     |
|         |                 |       | 3050   | 12.35    | 5.35     |
| NEPTUNE | 22              | 260   | 2400   | 14.88    | 6.71     |
|         |                 |       | 2900   | 17.96    | 8.11     |
| ECP     | 11              | 600   | 600    | 5.95     | 3.87     |
|         |                 | 600   | 1200   | 11.95    | 7.75     |



TWIG / STICK



STICK 18



STICK 25/1"



LATH

| ARTICLE     | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|-------------|-----------------|-------|--------|----------|----------|
|             | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| TWIG/STICK  | 25              | 100   | 2400   | 5.64     | 2.58     |
|             |                 |       | 2900   | 6.69     | 3.12     |
| STICK 18    | 18              | 100   | 2400   | 5.40     | 2.58     |
|             |                 |       | 2900   | 6.52     | 3.12     |
|             |                 |       | 3050   | 6.86     | 3.28     |
|             |                 |       |        |          |          |
| STICK 25/1" | 25              | 100   | 2400   | 7.44     | 2.58     |
|             |                 |       | 2900   | 8.98     | 3.12     |
|             |                 |       | 3050   | 9.45     | 3.28     |
|             |                 |       |        |          |          |
| LATH        | 11              | 75    | 2400   | 2.64     | 1.93     |
|             |                 |       | 2900   | 3.18     | 2.34     |
|             |                 |       | 3050   | 3.35     | 2.46     |



TAPPER



SCOLLOP




SEMI ROUND



BREAKERS

| ARTICLE    | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|------------|-----------------|-------|--------|----------|----------|
|            | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| TAPPER     | 11              | 200   | 1500   | 3.15     | 3.23     |
| SCOLLOP    | 11              | 200   | 1500   | 3.22     | 3.23     |
| SEMI ROUND | 11              | 200   | 1500   | 3.67     | 3.23     |
|            |                 |       | 2900   | 6.97     | 6.24     |
| BREAKERS   | 11              | 200   | 1500   | 2.92     | 3.23     |



M TYSON



H TOO ONE



BARS




GARDEN FENCE TRIANGLE

| ARTICLE   | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|-----------|-----------------|-------|--------|----------|----------|
|           | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| M TYSON   | 11              | 245   | 2400   | 4.75     | 6.33     |
|           |                 |       | 2900   | 5.64     | 7.65     |
|           |                 |       | 3050   | 5.94     | 8.04     |
| H TOO ONE | 11              | 245   | 2400   | 4.61     | 6.33     |
|           |                 |       | 2900   | 5.51     | 7.65     |
|           |                 |       | 3050   | 5.80     | 3.93     |
| BARS      | 11              | 200   | 1500   | 3.52     | 3.23     |
| FENCE     | 16              | 100   | 1500   | 2.91     | 1.61     |



FLOOR SKIRTING



EAVE




POOL DECK



PLANK 2" GR N

| ARTICLE     | DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|-------------|-----------------|-------|--------|----------|----------|
|             | THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| SKIRTING    | 14              | 100   | 2400   | 4.08     | 2.58     |
|             |                 |       | 2900   | 4.92     | 3.12     |
|             |                 |       | 3050   | 5.18     | 3.28     |
| EAVE        | 22              | 238   | 2900   | 17.59    | 7.43     |
| POOL DECK   | 25              | 150   | 2400   | 12.48    | 3.87     |
|             |                 |       | 2900   | 15.06    | 4.68     |
|             |                 |       | 3050   | 15.86    | 4.92     |
| PLANK 2" GR | 25              | 50    | 2900   | 4.64     | 1.56     |
|             |                 |       | 3050   | 4.88     | 1.64     |



MOUKLD A16



MOULD B22



MOULD C25

| ARTICLE | DIMENSIONS (MM) |       |        |
|---------|-----------------|-------|--------|
|         | THICKNESS       | WIDTH | LENGTH |
| A 16    | 16              | 30    | 1500   |
|         |                 |       | 2400   |
|         |                 |       | 2900   |
| B 22    | 22              | 45    | 1500   |
|         |                 |       | 2900   |
|         |                 |       | 3050   |
| C 25    | 25              | 88    | 1500   |
|         |                 |       | 2900   |
|         |                 |       | 3050   |

sed as partition  
where plywood



| DIMENSIONS (MM) |       |        | WEIGHT   | AREA     |
|-----------------|-------|--------|----------|----------|
| THICKNESS       | WIDTH | LENGTH | KG/PIECE | PER SQFT |
| 11              | 1200  | 2400   | 41.25    | 31       |
| 16              | 1200  | 2400   | 60.01    | 31       |
| 18              | 1200  | 2400   | 67.51    | 31       |
| 22              | 1200  | 2400   | 82.51    | 31       |
| 25              | 1200  | 2400   | 93.76    | 31       |

MARINE BOARDS

TRUSTED BY



HOOTERS



## OUR ARCHITECTURAL ALLIES

- ACE ASSOCIATES
- KNA ASSOCIATES
- MS ASSOCIATES
- CHAUKHAT DESIGN STUDIO
- ZORBBA DESIGN
- CREATIVE DESIGNS
- RIDGE ASSOCIATES
- IN DETAIL DESIGN STUDIO
- STUDIO YAMINI
- GRID ARCHITECTS
- SHAYONA CONSULTANT
- VISHVAKARMA CONSULTANCY
- TALIB PATEL ASSOCIATES
- KARMASTU DESIGNS
- GREPHITE STUDIO
- TBF COLLABORATIVE LLP
- JNM SPACE CREATORS
- FLAVA DESIGN STUDIO
- S HOUSE ARCHITECTS
- CONCEPT DESIGN STUDIO
- AEMJE ARCHITECTS
- VIVIANA INTERIORS
- STUDIO 3087
- STUDIO SOPAAN
- VRUND DESIGN STUDIO
- HARIKRUSHNA PATTANI & ASSOCIATES
- BROOKE DESIGN

**INNOVATIVE RANGE FOR**

**A BEAUTIFUL WORLD**



**BARIKI**

**OFFICE ADDRESS:**

3<sup>rd</sup> Floor, Nandishwar Square, Nr Bright day school,  
Vasna Bhayali Main Road, Vadodara-Gujarat

**FOR MORE DETAILS CONTACT**

Phone no: +91 999 800 4019  
Email: [connectbariki@gmail.com](mailto:connectbariki@gmail.com)